

# **Sindh Resilience Project [SRP]**

## **REQUEST FOR QUOTATION**

### **Procurement of Equipment**

The Government of Sindh is implementing Sindh Resilience Project (SRP) with financial assistance of the World Bank under Credit No.IDA-5888-PK aims to improve the infrastructure and system for resilience to disaster and climate change in Sindh.

Project Management Team [PMT], Sindh Irrigation Department [SID] invites quotations for the Procurement of Equipment from GST and Sindh Revenue Board registered reputed firms, manufacturers, authorized dealers and distributors having previous experience to provide this type of equipment. The successful firm must have five years of experience in supplying, sales services including repair and maintenance of the equipment. The brief details of the required Equipment are as under:

- 1. Desktop Computers**  
Required Quantity: 06
- 2. Laptop Computers**  
Required Quantity: 12
- 3. Printers (Black & White)**  
Required Quantity: 05
- 4. Color Printers**  
Required Quantity: 02
- 5. Photocopier Machine**  
Required Quantity: 01
- 6. Scanners**  
Required Quantity: 02
- 7. Fax Machine**  
Required Quantity: 01
- 8. Telephone Sets**  
Required Quantity: 05
- 9. LED TV Screen**  
Required Quantity: 04
- 10. CCTV Cameras**  
Required Quantity: 08
- 11. Digital Camera**  
Required Quantity: 04
- 12. Multimedia with Screen and Tripod**  
Required Quantity: 01
- 13. Audio System for Conference Room**  
Required Quantity: 01

**14. Networking and Intercom**

Required Quantity: 18

**15. Lamination Machine**

Required Quantity: 01

**16. Spiral Binding Machine**

Required Quantity: 01

**17. Spilt A/C**

Required Quantity: 13

**18. Generator**

Required Quantity: 01

**19. Refrigerator**

Required Quantity: 02

**20. Water Dispenser**

Required Quantity: 03

Detailed specifications of the equipment are available on our website <http://www.sindh irrigation.com.pk> or can be obtained free of charge from our office at following address during office hours.

The received quotations will be evaluated as 'Shopping' method of procurement in accordance the World Bank's Procurement Guidelines: Procurement of Goods, Works and Non-Consulting Services (January 2011, revised July 2014). The acceptable terms and conditions of the lowest, responsive quotation shall be incorporated in the Purchase Order.

The prices indicated in the Price Schedule shall be delivered duty paid (DDP). The price of other services/additional items (if any) may be mentioned separately. The firms are requested to quote their best and final price as no negotiations on prices are expected.

The delivery of the equipment is required at Sindh Resilience Project [SRP] office Karachi, within three weeks after issuance of Purchase Order. The sealed quotations in single envelop with complete details of firm's experience, profile and authority letter from the manufacturer may be addressed to the Project Director SRP and submitted to the address below on or before **01 March, 2017**.

PROJECT DIRECTOR

Sindh Resilience Project [SRP]

Bungalow # 125/B, Main Khayaban-e-Bahria , DHA Phase VII ,

Karachi

Phone# +92-21- 99332368, 35855008

Fax #

<http://www.sindh irrigation.com.pk> email: [srp.sindh irrig@gmail.com](mailto:srp.sindh irrig@gmail.com)

**Procurement of Equipment for SRP**

**QUOTATION SUBMISSION SHEET AND SCHEDULE OF SUPPLIES**

<b>S. No.</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>OFFERED SPECS</b>	<b>UNIT PRICE</b>	<b>TOTAL PRICE</b>
<b>1</b>	<b>Desktop Computer</b>	<b>06</b>			
	<b>General Specs</b>				
	Central Processing Unit: Intel Core i3 - Core i7 or equivalent, Memory (RAM): 4 GB - 8 GB (minimum), Internal Storage (HDD): 500 GB to 1 TB (minimum), Display: 14-20 inches LCD, VGA: Graphic 512 MB - 1GB (minimum), Optical Drives: DVD Reader/Writer drive, Ports: 3 USB ports, VGA, Ethernet, Headphone, Microphone (minimum), Keyboard: USB connection, Mouse: USB connection, Operating System: Genuine Window 7 or Window 8 Professional, Capacity: 1200 VA				
<b>2</b>	<b>Laptop Computers</b>	<b>12</b>			
	<b>General Specs</b>				
	Processor: Core i5 - Core i7 (up to 3.1GHz, 4MB Cache), Operating System: Windows 7 – Windows 10 Pro 64 bit Preinstall through downgrade right in Windows 10 Pro 64bit with License, Memory:4GB-8GB DDR3L Hard Drive: 1TB SATA (5400rpm), Display Size: 12”- 14” FHD (1920x1080) Anti-Glare, Touch, Graphics: NvidiaGeForce 940M 2GB DDR3, Optical Drive: None, Wireless: Intel® Dual Band wireless AC-8260, Bluetooth 4.1, Network: 10/100/1000Mbps, Ports: 3 x USB 3.0, HDMI, Card Reader, RJ-45, Combo Headphone/Mic, Finger Print Reader, Mini-Display port, Webcam, Battery: 6-cells; up to 14hr (will vary based on many factors including system settings and usage), Weight: 1.50 – 2.0 kg, Mouse and mouse pad				

3	<b>Printers (Black &amp; white)</b>	5		
4	<b>General Specs</b>	2		
	Supply of laser jet printer best quality HP or equivalent, Print Speed: 18 to 40 pages per minute (mono), Print Resolution: 600 x 600 to 1200 x 1200 dpi, Duplex printing: Automatic - Manual , Memory : 8 - 32 MB, Connectivity : USB 2.0, Printer Language:PCL5- PCL 6, Recommended Monthly: 750 to 3000 pages			
05	<b>Printer (Color)</b>	01		
	<b>General Specs</b>			
06	<b>Photocopier Machine</b>	02		
	<b>General Specs</b>			
06	<b>Scanner</b>			
	Function: Copy, Print and Scan, Color Output: Black and White for Copy and Print. Color for Scan, Memory: 128-512MB (minimum), Copy/Print Speed: 20- 45ppm (minimum), Warm-up Time:13 - 30 seconds (maximum), Resolution: 600x600dpi (minimum), Network: Ethernet (100Base-TX/10Base-T), USB 2.0, Paper Size: A5 to A3, Paper Tray: 2 trays (minimum), Paper Tray Capacity: 250-500 sheets in 2 trays (minimum), Power Source: 220-240 VAC, Document Feeder: Automatic (ADF), Duplex: Automatic, Sorter Finisher with Stapler			

	<b>General Specs</b>			
	Scanner type Flatbed with transparent materials adapter (TMA) , Size 455 x 304 x 70 mm (17.91 x 11.97 x 2.76 inches) , Weight 1.76 kg-2.892 kg(6.37 lbs.) , Scanning element Charged-coupled device , Interface USB 2.0 Hi-Speed, Hardware resolution 1200 x 1200 - 4800 x 9600 dpi, 48 bit, multi stage, Hp or equivalent			
<b>07</b>	<b>Fax Machine</b>	<b>01</b>		
	<b>General Specs</b>			
	Thermal - Laser Fax Machine (Panasonic/Equivalent), Up to 24 ppm High Speed Laser Printing, 600x600 dpi Print Resolution, Divers Copying Features (Quick ID, Image Repeat, N-in 1, Separate N-in-1 and Poster), High Resolution Color Scanning, Up to 9600 x 9600 dpi (Interpolated), Incoming Fax Web Preview, Standard Handset, 20-sheet Capacity Automatic Document Feeder, 250-sheet Capacity Input Tray, Rich Bundled Software (Easy Print Utility, Multi-Function Station, Read iris OCR Software)			
<b>08</b>	<b>Telephone Sets</b>	<b>5</b>		
	<b>General Specs</b>			
	Caller ID Compatible, Caller ID Storage (Nil - 50 Entries) 50-Station Speed Dialer, Approximately 20 Stations Redial Storage, 2-Line LCD Display with Clock, Navigator Key for Easy Operation, Call, Restriction/Dial Lock, Telephone Line Powered, Operation, One-Touch Redial			
<b>09</b>	<b>LED TV Screen</b>	<b>04</b>		
	<b>General Specs</b>			

	Type Smart LED TV, Series 4, Screen Size 40 Inch – 50 Inch, Resolution 1,366 x 768, CMR 120, Audio System Dolby MS10 / DTS Studio, Sound   DTS 2.0, in / out HDMI x 2 / USB x 1 / Component / Composite / RF, Features All the excitement of the big match with Soccer Mode, More vibrant colors for better images, Watch movies from your USB, Energy Save Eco Sensor, Dynamic Contrast Ratio Mega DCR, Hyper Real Engine			
10	<b>CCTV Cameras</b>	<b>08</b>		
	<b>General Specs</b>			
	CCTV AHD Cameras, 2.0 - 5.0 mega pixel, Digital Video Recorder with 8-Channel ports, Hard Disk for Video Backup Recording :1 TB			
11	<b>Digital Camera</b>	<b>04</b>		
	<b>General Specs</b>			
	Sensor type: CMOS, Effective pixels: 20mp, minimum, Sensor format: 1/2.3 inches, File format : JPEG (EXIF 2.3), Image Stabilizer: Yes, Digital Zoom: Yes up to 4X, Auto focus: Yes, Display screen: 3.0 inch minimum, Max ISO: 3200, ISO Setting: Auto, ISO 80-3200, Shutter speed: 15 - 1/2000, Flash built-in: Yes, Memory type: SD/SDHC/SDXC2, Memory Cards 32 GB, Connectivity: WiFi Yes, USB 2.0: Yes, Movie format: MP4 , MPEG-4, AAC-LC, Battery and with charger			
12	<b>Multimedia with Screen &amp; Tripod</b>	<b>01</b>		
	<b>General Specs</b>			

	<p>Display Tech: Single XGA, Resolution: 1024x768, Brightness: 2600 ANSI Lumens, Contrast Ratio:15000:1, I/O Connectors: 2x HDMI, S-Video, Audio, RJ-45, USB-A Power(1A), Full 3D Support, weight: 2.5 Kg, Ceiling Mount</p> <p><b>Screen.</b> Type: Matte white screen, Support by tripod, Size: 1.8 m x 1.8m (minimum)</p>			
<b>13</b>	<b>Audio System for Conference Room</b>	<b>01</b>		
	<b>General Specs</b>			
	Power Consumption: 135W, I/O: Microphone, Aux 1 & 2, Lines 1 & 2, Recording, Speaker, Control: Single Tone , Microphone Switch, Priority Switch, Automatic Mic On/Off			
<b>14</b>	<b>Networking and Intercom</b>	<b>01</b>		
	<b>General Specs</b>			
	<p>Panasonic TES824 Telephone Exchange Unit 2-6 Lines 12-24 Extensions Price Rs.- Delivery...Free in City Warranty.. One Year International Condition. Box Pack Single Tape Overview 6-level Automatic Reception with voice guidance DISA Direct Inward System Access with message Built-in Voice Message BV Caller ID display on SLT and APT Flexible SMS routing Intuitive customization and maintenance UCD Uniform Call Distribution with message Door phones, Door Openers, and Doorbells Automatic configuration for outside CO line type Centralized feature setting for T PBX mode PC programming USBRS232C and easy maintenance CO busy out Budget management Features Automatic fax transfer Automatic pause insertion Call forwarding Call hold pick-up, transfer, waiting Conference call Data line security Flexible ringing assignment Hold Intercom Sets: 18 Nos.</p>			
<b>15</b>	<b>Lamination Machine</b>	<b>01</b>		
	<b>General Specs</b>			

	Model No: DB-SF3306, 4 Rollers Professional Laminator, Technical Parameters, Power: AC 220V/110V 50/60HZ 1000W, Quantity Of Roller: 6, Diameter Of Roller: 29.50mm, Laminating Speed:, 500-1600mm/Min, Laminating Temperature: 90-160 degree, Laminating Thickness: 1.2mm, Laminating width: 330mm, Dimension:, 495x325x180mm, Net Weight: 15.00 KGS			
16	<b>Spiral Binding Machine</b>	01		
	<b>General Specs</b>			
	DSB No: Manual Comb Binding Machine Comb Bind Binding Capacity (70gsm): 400-500 sheets Max Spine Size: 51mm Manual Punch Capacity (70gsm): 18 sheets Suitable for Small Office Use Dimensions 370x260x235mm- 405x295x170mm Weight: 5kg			
17	<b>Spilt A/C</b>	13		
	<b>General Specs</b>			
	Wall Mounted, Capacity -1 to 2 hp: 1800 btu/h, Remote Control, Anti-Bacteria Filter, Auto Air Swing (Up-Down), (Left-Right) with Selectable Swing (Left-Right/Up-Down), Auto Restart, 5m pipe, wire along with installation services			
18	<b>Generator (Petrol)</b>	01		
	<b>General Specs</b>			
	GENERATOR (Petrol) 5.0 - 10 KVA Petrol with Gas operated kit , Alternator Type: Single-phase, Frequency: 50Hz, Rated AC Output: 10 KW, Max AC Output: 11 KW, Voltage: 220 V, Power Factor: 1.0, Excitation System: Self excitation, Insulation: F Class, Coupling: Direct Couple with engine, Num of Poles: 2 Poles, Voltage regulation system: AVR System, FRAME, Type: Mono block2 supports,Material: Steel,Noise Level:71.0-76 DB, Perkin engine/equivalent			
19	<b>Refrigerator</b>	02		
	<b>General Specs</b>			



	<p>Double Door, Frequency: 50Hz, Rated Voltage: 220 V, weight: 85 Kg Approx. ,</p> <p>Dimension: 1350 x 720 x 89 mm</p>
<b>20</b>	<b>Water Dispenser</b>
	<b>General Specs</b>
	<p>Voltage: 220-240V, Frequency: 50Hz, Heating Power: 420W, Cooling Power : 100W,</p> <p>Hot Water: 5 L/Hour, Cold Water: 1L/H</p>

**03**
